	Application No.	Applicant(s)	110
Notice of Allowability	10/614,880	RAYMOND, TIMOTH	1V 1
	Examiner	Art Unit	11 3.
	Kenneth Bomberg	3754	
The MAILING DATE of this communication apperation apperation allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RI of the Office or upon petition by the applicant. See 37 CFR 1.313	ears on the cover sheet with the co (OR REMAINS) CLOSED in this ap or other appropriate communication GHTS. This application is subject t	correspondence addre	d course. THIS
1. This communication is responsive to the application filed 7	<u>July 2003</u> .		
2. X The allowed claim(s) is/are <u>1-45</u> .			
3. \boxtimes The drawings filed on <u>07 July 2003</u> are accepted by the Ex	aminer.		
 4. ☐ Acknowledgment is made of a claim for foreign priority una) ☐ All b) ☐ Some* c) ☐ None of the: 1. ☐ Certified copies of the priority documents have 2. ☐ Certified copies of the priority documents have 3. ☐ Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 5. ☐ A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") mus (a) ☐ including changes required by the Notice of Draftspers 1) ☐ hereto or 2) ☐ to Paper No./Mail Date (b) ☐ including changes required by the attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1. each sheet. Replacement sheet(s) should be labeled as such in till 7. ☐ DEPOSIT OF and/or INFORMATION about the deponant attached Examiner's comment regarding REQUIREMENT 	been received. been received in Application No cuments have been received in this of this communication to file a reply lENT of this application. itted. Note the attached EXAMINER as reason(s) why the oath or declar at be submitted. son's Patent Drawing Review (PTO as Amendment / Comment or in the comment of the drawing he header according to 37 CFR 1.121 sit of BIOLOGICAL MATERIAL	national stage applicated complying with the required attention is deficient. -948) attached Office action of lings in the front (not the (d). must be submitted. N	uirements OTICE OF
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☑ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 10-9-03 & 10-10-03 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. Notice of Informal I 6. Interview Summary Paper No./Mail Da 7. Examiner's Amend 8. Examiner's Statem 9. Other	/ (PTO-413), ate ment/Comment	,

Application/Control Number: 10/614,880 Page 2

Art Unit: 3754

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance:

In a combination truck, rotatable pedestal assembly, telescopic boom assembly, and concrete conduit according to the independent claims, the inclusion of

said concrete discharge conduit comprising a rigid jib boom member,
having inner and outer ends, pivotally secured to the outer end of said outer boom
member (or boom assembly);

and a jib boom supporting truss, having inner and outer ends, associated with said jib boom member.

In with the other independent claim limitations was not found or fairly suggested by the prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the
examiner should be directed to Kenneth Bomberg whose telephone number is 703-308-2179.
 The examiner can normally be reached on Monday, Tuesday, Thursday and alternative Fridays.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Mar can be reached on 703-308-2087. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/614,880 Page 3

Art Unit: 3754

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

K.B.

KENNETH BOMBERG PRIMARY EXAMINER